

Canvas Colours

0001	0003	0017	0018	0020	0034	0613	0681	0806	0853	0867
3914	6020	6022	6023	6025	6028	6088	6316	6318	6319	6386
6387	6435	6577	6610	6687	6688	6689	6692	6720	7100	7103
7104	7131	7244	7264	7297	7330	7548	7551	7552	7553	7554
7557	7558	7559	7560	7632	7703	7972	8016	8200	8201	8202
8203	6028	8205	8206	8207	8238	8396	8600	8601	8776	8777
8778	8779	8790	8891	8900	8901	8902	8903	8904	8905	U083
U104	U141	U169	U170	U171	U190	U224	U225			

Please note colours may vary depending on your screen.
Samples are available upon request.



Unit 2 Lamport Court
Heartlands Business Park
Daventry
Northants
NN11 8UF

t: 01327 312372
f: 0844 2723791
e: sales@xtracs.com

General Characteristics

Feature	Result	Standard Used
Weight	290 g/m squared	ISO 2286-1
Thickness	0.64mm	ISO 2286-3
Tensile Strength	1 40 daN	ISO 13934-1
UV	7-8/8	ISO 105 B02



The sense of comfort and wellbeing that people experience in the shade of our fabrics is primarily thanks to 3 key factors: heat protection, glare protection and UV protection. These parameters are directly influenced by the colour of the fabric.

The Canvas is made from 100% solution dyed acrylic and is used for the Brandline banners. The canvas is sourced directly from well known awning and parasol manufacturers.

Supplied in a heavy duty fabric the material is guaranteed for up to 5 years.

All banners have been finished with Cleanguard, a special dirt resistant and water repellent treatment.

Artwork Submission Guidelines

Artwork for application to canvas banners should be submitted in AI, EPS, PDF, or high res jpeg format.

Artwork can be sent by email to sales@xtracs.com. Larger files can be submitted via our FTP site. (Details available upon request).


Upon receipt of artwork, a member of our technical team will call you should there be any questions, or additional requirements. We will then provide you with a scaled proof for your approval. Work will commence on the banners once proofs have been approved. Lead times will vary.



Unit 2 Lamport Court
Heartlands Business Park
Daventry
Northants
NN11 8UF

t: 01327 312372
f: 0844 2723791
e: sales@xtracs.com

Canvas Specification



Design Copyright Xtracs 2003
Brendline™ is a trade mark owned solely by Xtracs Limited

The Canvas Banners are manufactured in-house and can be made to any width. For ease of use, the following sizes are manufactured as standard post centres. 1.2, 1.5, 1.8, 2.0M.

The actual width of the banner is 214mm less than the post centre dimension. (See table below)

Post Centres	Banner Size
1200mm	986mm
1500mm	1286mm
1800mm	1586mm
2000mm	1786mm



Unit 2 Lamport Court
Heartlands Business Park
Daventry
Northants
NN11 8UF

t: 01327 312372
f: 0844 2723791
e: sales@xtracs.com

Cleaning Guide

Our canvas banners have all the necessary characteristics to use outside and you should not encounter any specific problems.

The canvas is treated with a special finish which delays the forming and accumulation of dirt.

In order not to spoil this treatment, cleaning of the fabric must be done respecting the following recommendations:

STANDARD MAINTENANCE

Dust and dry canvas as thoroughly as possible to remove all surface particles by vacuuming, air blasting, beating or brushing.

STAIN REMOVAL

For fingerprints or grease stains, use soapy water.

For watermarks, sponge out as much as you can and rub gently with a moist cloth.

Never use detergents or other chemical products.

CLEANING KIT:

For the best possible result: use the 'Clean and Guard' products, recommended by Xtracs.



Unit 2 Lamport Court
Heartlands Business Park
Daventry
Northants
NN11 8UF

t: 01327 312372
f: 0844 2723791
e: sales@xtracs.com